



任丘市星宇焊接设备有限公司

Renqiu City Xingyu Welding Equipment Co.,LTD

Add: Lvgongbao Industrial Park, Renqiu City, Hebei Province ,China .062550

TEL: +86-317-2832898 ,+86-317-3388226

FAX: +86-317-2834822,+86-317-3388226

Email: cnxingyu@126.com xingyuweld@163.com

Web: www.cnxingyu.com

XINGYU
WELDING EQUIPMENT
CO.,LTD

星宇焊接设备

创一流企业 · 树星宇品牌



目录

CONTENTS

企业篇

企业简介 Company Profile	01-02
企业资质 Enterprise Qualification	03
企业缩影 Enterprise Microcosm	03
展会概况 Exhibition Overview	04

MIG/CO2

气保焊枪 MIG Torch	07-12
保护嘴 Gas Nozzle	13-18
连接杆 Tip Holder	19-21
枪管 Swan Neck	21-26
绝缘套 Insulator	27
分流器 Gas Diffuser	28
送丝管 Welding Liner	28
导电嘴 Contact Tip	29-30
点焊电极产品 Spot Welding Parts	31-32
送丝轮 Feed Roller	33
送丝机系列 Wire Feeder Parts	34-35
机器人焊枪 Robot Welding Torch	36

TIG, ARGON

氩弧焊枪 Tig Torch	38-39
氩弧焊枪头 Torch Body	40-41
瓷嘴 Ceramic Nozzle	42-45
压冒 Back Cap	46
夹头, 导流件 Collet & Collet Body	47-48
气筛连接体 Gas Lens Body	49
Cup Gasket	50

PLASMA

等离子焊枪 Plasma Torch	52-53
等离子枪头 Torch Body	54-56
电极喷嘴 Electrode & Nozzle Tip	57-59

插头插座 Cable Plug & Socket	60
--------------------------	----

电焊钳 Electrode Holder & 接地夹 Earth Clamp	61-62
--	-------

钨针 Tungsten Electrode	63
-----------------------	----

自动变光焊帽 Welding Helmet	64
-----------------------	----

劳保产品 Welding Safety Products	65-67
------------------------------	-------

其他 others	68-71
-----------	-------



COMPANY PROFILE

企业简介

本公司是专业生产MIG/MAG/CO₂ 气体保护焊机、TIG焊机、空气等离子切割机、各种气体保焊枪、割炬及各种焊接配件的专业厂家。

公司已经拥有超过15年的焊接生产经验，新厂区建于2007年占地面积10,000m²。位于河北省任丘市城东工业区，拥有50-100名工作人员，5-8个专业技术人员。

我公司近年来研制的电阻焊电极系列产品已通过ISO9001-2000认证，并且已远销欧、亚、非等各国及地区，以优质的品质深受广大用户好评。为满足客户需求，提高产品质量，现已完全实现了机加工数控自动化生产，致力于制造出最优秀的产品。

我公司运用现代化的管理模式，以不断创新的技术优势，致力于新型高性能焊接、切割设备的设计及生产。以及自动化焊接设备的研制及开发，我公司全体员工正以“坦诚务实、开拓进取、至善至美、至始至终”的精神，为实现“创中国品牌、建一流企业”的目标而不懈努力。

公司承诺：想客户之所想，急客户之所想，供货及时，跟踪服务。


We are a professional manufacturer of MIG/MAG/CO₂ welding,TIG welder,Air-plasma Cutting Machine,all kinds of welding torches,cutting torch and variety of welding tools.

Our company is located in the east of Renqiu City,Hebei Province,China,it was established in 2007,but We had more than 15 years manufacturing experience in this field.the new factory covers an area of more than 10000 square meters,There are 50-100 wokers and 5-8 research engineers.

In recent years,resistance welding electrode series products have passed ISO9001-2000 Certificate, and have been sold in lots of countries and regions in Europe and Asia and gained good reputation widely with excellent quality.In order to meet customers requirements and improve product quality,our company has already realized mechanical processing numerical control antomatization production,and been committed to manufacturing products with best quality.

Our company adopts modern management mode ang devotes itself to new high performance design and production of welding&cutting equipments,with continuous technique advantages innovation.All our staff are striving to realize the aim of" Create Chinese Brand,Build First-Class Eenterprise" .with the spirit of "Being honest and pragmatic,making pioneering efforts ang ceeking perfection with persistency."

Company commitment:thinking what customers think,worrying what customers worry,in time delivery and high tracking service.



ASSET QUALIFICATION

资产资质





EXHIBITION OVERVIEW

展会概况



MICROCOSM OF THE COMPANY

公司缩影



亿星®
X·INGYU
PRODUCT
产品



MIG/CO2



TIG, ARGON



PLASMA



OTHERS



MIG/CO2 WELDING TORCHES
AND CONSUMABLES

气保焊枪 MIG Torch

Euro Welding Torch




气保焊枪 MIG Torch

Euro Welding Torch



气保焊枪 MIG Torch

PANA Welding Torch



气保焊枪 MIG Torch

LN-Tweco-Miller-BN Mig Torch



气保焊枪 MIG Torch

LN-Tweco-Miller-BN Mig Torch



气保焊枪 MIG Torch

Esab Welding Torch




保护嘴 Gas Nozzle




保护嘴 Gas Nozzle



保护嘴 Gas Nozzle




保护嘴 Gas Nozzle



保护嘴 Gas Nozzle



保护嘴 Gas Nozzle




连接杆 Tip Holder




连接杆 Tip Holder



连接杆 Tip Holder



枪管 Swan Neck




枪管 Swan Neck




枪管 Swan Neck




枪管 Swan Neck



枪管 Swan Neck



绝缘套 Insulator




分流器 Gas Diffuser




送丝管 Welding Liner




导电嘴 Contact Tip




导电嘴 Contact Tip



点焊电极产品 Spot Welding Parts




点焊电极产品 Spot Welding Parts



送丝轮 Feed Roller





送丝机系列 Wire Feeder Parts



送丝机系列 Wire Feeder Parts



机器人焊枪 Robot Welding Torch




	XY-ROB350 Complete Torch 1M	Order Number 货号
1	Cylindrical Nozzle Φ15mm	XY-000
2	Gas Diffuser	XY-001
	M6x45x0.9 Contact Tip,E-Cu	XY-002
	M6x45x1.0 Contact Tip,E-Cu	XY-003
3	M6x45x1.2 Contact Tip,E-Cu	XY-004
	M6x45x0.9 Contact Tip,CuCrZr	XY-005
	M6x45x1.0 Contact Tip,CuCrZr	XY-006
	M6x45x1.2 Contact Tip,CuCrZr	XY-007
4	Insulator	XY-008
	Contact Tip Holder	XY-009
6	Swan Neck	XY-010
7	Safety-off Mechanism	XY-011
8	Fixed Bracket	XY-012
9	Cable Assembly(60mm ²),1M	XY-013
10	Cable Support Spring	XY-014
11	Cable Support Machine Side	XY-015
12	Liner,For wire Φ0.8-1.2,1.2M	XY-016

氩弧焊枪 Tig Torch



TIG/ARGON WELDING PRODUCTS




 WP-9	 WP-12 water cooled	 WP-17	 WP-17
 WP-17	 WP-18	 WP18-Water-Cooled	 WP-26
 WP-26	 WP-26V	 WP-27	 WP-50W
 XY-QQ300	 XY-QS500A	 XY-Tig Torch	 XY-Tig Torch-2019


氩弧焊枪 Tig Torch



氩弧焊枪头 Torch Body



氩弧焊枪头 Torch Body



瓷嘴 Ceramic Nozzle



Part Number	Size	Specification	TORCH MODEL
10N50	4	D6.5×47mm	WP/SR -17
10N49	5	D8.0×47mm	
10N48	6	D9.5×47mm	WP/SR -18
10N47	7	D11.0×47mm	
10N46	8	D12.5×47mm	WP/SR -26
10N45	10	D16.0×47mm	
10N44	12	D19.5×47mm	

Part Number	Size	Specification	TORCH MODEL
10N50L	4	D6.5×76mm	WP/SR -17
10N49L	5	D8.0×76mm	
10N48L	6	D9.5×76mm	WP/SR -18
10N47L	7	D11.0×76mm	
10N46L	8	D12.5×76mm	WP/SR -26

Part Number	Size	Specification	TORCH MODEL
13N08	4	D6.5×30mm	WP/SR -9
13N09	5	D8.0×30mm	
13N10	6	D9.5×30mm	WP/SR -20
13N11	7	D11.0×30mm	
13N12	8	D12.5×30mm	
13N13	10	D16.0×30mm	

Part Number	Size	Specification	TORCH MODEL
14N57	4	D6.5×32mm	WP/SR -12
14N58	5	D8.0×32mm	
14N59	6	D9.5×32mm	
14N60	7	D11.0×32mm	
14N61	8	D12.5×32mm	
14N61-10	10	D16.0×32mm	
14N61-12	12	D19.5×32mm	
14N64	8	D12.5×50mm	

Part Number	Size	Specification	TORCH MODEL
53N23	3	D4.0×17mm	WP/SR -24
53N24	4	D6.5×17mm	
53N25	5	D8.0×17mm	
53N27	6	D9.5×17mm	
53N24L	4	D6.5×29mm	
53N27L	6	D9.5×29mm	

Part Number	Size	Specification	TORCH MODEL
53N58	4	D6.5×25.5mm	WP/SR -9
53N59	5	D8.0×25.5mm	
53N60	6	D9.5×25.5mm	WP/SR -20
53N61	7	D11.0×25.5mm	
53N61-5	8	D12.5×25.5mm	

瓷嘴 Ceramic Nozzle



Part Number	Size	Specification	TORCH MODEL
54N18L	4	D6.5×76mm	WP/SR -17
54N17L	5	D8.0×76mm	
54N16L	6	D9.5×76mm	WP/SR -18
54N15L	7	D11.0×76mm	WP/SR -26
54N14L	8	D12.5×76mm	



Part Number	Size	Specification	TORCH MODEL
54N18	4	D6.5×42mm	WP/SR -17
54N17	5	D8.0×42mm	
54N16	6	D9.5×42mm	WP/SR -18
54N15	7	D11.0×42mm	
54N14	8	D12.5×42mm	WP/SR -26
54N19	10	D19.5×42mm	



Part Number	Size	Specification	TORCH MODEL
57N75	6	D9.5×48mm	WP-17
57N74	8	D12.5×48mm	
53N88	10	D16.0×48mm	WP-26
53N87	12	D19.0×48mm	



Part Number	Size	Specification	TORCH MODEL
796F70	3	D4.0×48mm	WP/SR -9
796F71	4	D6.5×48mm	
796F72	5	D8.0×48mm	
796F73	6	D9.5×48mm	
796F74	3	D4.0×63mm	WP/SR -20
796F75	4	D6.5×63mm	
796F76	5	D8.0×63mm	
796F77	6	D9.5×63mm	
796F79	4	D6.5×89mm	



Part Number	Size	Specification	TORCH MODEL
2412	4	D6.5×D24.5×68MM	India Market
2414	6	D9.5×D24.5×68MM	
2411	4	D6.5×D24.5×42MM	
2413	6	D9.5×D24.5×42MM	


瓷嘴 Ceramic Nozzle




Part Number	Size	Specification	TORCH MODEL
130-00	4	D6.5×43mm	TEC
131-00	5	D8.0×43mm	
132-00	6	D9.5×43mm	
133-00	7	D11.0×43mm	
134-00	8	D12.5×43mm	
135-00	9	D14.5×43mm	
136-00	10	D16×43mm	
137-00	12	D19×48mm	



Part Number	Size	Specification	TORCH MODEL
130-01	4	D6.5×22mm	TEC
131-01	5	D8.0×22mm	
132-01	6	D9.5×22mm	
133-01	7	D11.0×22mm	



Part Number	Size	Specification	TORCH MODEL
130-11	4	D6.5×33mm	TEC
131-11	5	D8.0×33mm	
132-11	6	D9.5×33mm	
133-11	7	D11.0×33mm	



Part Number	Size	Specification	TORCH MODEL
130-07	4	D6.5×63mm	TEC
131-07	5	D8.0×63mm	
132-07	6	D9.5×63mm	
133-07	7	D11.0×63mm	





Part Number	Size	Specification	TORCH MODEL
141-00	5	D8.0×54mm	TEC
142-00	6	D9.5×54mm	
143-00	7	D11.0×54mm	
144-00	8	D12.5×54mm	
145-00	10	D16.0×54mm	



瓷嘴 Ceramic Nozzle



压冒 Back Cap



Part Number	Size	Specification	TORCH MODEL
57Y02	3/8-32 UNF, L122MM	Back Cap, Long	WP/SR 17-18-26
57Y04	3/8-32 UNF, L25.4MM	Back Cap, Short	
57Y03	3/8-32, L60MM	Back Cap, Medium	


Part Number	Size	Specification	TORCH MODEL
41V24	5/16-24UNF, L146MM	Back Cap, Long	WP/SR9 -20
41V33	5/16-24 UNF, L18MM	Back Cap, Short	
41V35	5/16-24 UNF, L48MM	Back Cap, Medium	

Part Number	Size	Specification	TORCH MODEL
56Y44	5/8-18UNF, L119MM	Back Cap, Long	WP/SR9 -12
56Y45	5/8-18UNF, L30.5MM	Back Cap, Short	

Part Number	Size	Specification	TORCH MODEL
KR350A Long	L100MM	Back Cap, Long	KR350A
KR350A Short	L22MM	Back Cap, Short	
KR350A Medium	L61MM	Back Cap, Medium	

Part Number	Size	Specification	TORCH MODEL
KR500A Long		Back Cap, Long	KR500A
KR500A Short		Back Cap, Short	

夹头，导流件 Collet & Collet Body



Part Number	Description	Size (mm)	TORCH MODEL
10N28	Collet Body	3.2	WP/SR 17 WP/SR 18 WP/SR 26
10N30	Collet Body	1.0	
10N31	Collet Body	1.6	
10N31M	Collet Body	2.0	
10N32	Collet Body	2.4	
406488	Collet Body	4.0	




Part Number	Description	Size (mm)	TORCH MODEL
10N22	Collet	1.0	WP/SR 17 WP/SR 18 WP/SR 26
10N23	Collet	1.6	
10N23M	Collet	2.0	
10N24	Collet	2.4	
10N25	Collet	3.2	
10N20	Collet	4.0	



Part Number	Description	Size (mm)	TORCH MODEL
13N20	Collet	0.5	WP/SR9 WP/SR20
13N21	Collet	1.0	
13N22	Collet	1.6	
13N22M	Collet	2.0	
13N23	Collet	2.4	
13N24	Collet	3.2	




Part Number	Description	Size (mm)	TORCH MODEL
13N25	Collet Body	0.5	WP/SR9 WP/SR20
13N26	Collet Body	1.0	
13N27	Collet Body	1.6	
13N27M	Collet Body	2.0	
13N28	Collet Body	2.4	
13N29	Collet Body	3.2	




Part Number	Description	Size (mm)	TORCH MODEL
53N18	Collet Body	1	WP/SR 24
53N19	Collet Body	1.6	

夹头，导流件 Collet & Collet Body



Part Number	Description	Size (mm)	TORCH MODEL
57N47	Collet	2.4	WP/SR 27
57N48	Collet	3.2	
57N49	Collet	4.8	



Part Number	Description	Size (mm)	TORCH MODEL
10N22S	Collet Stubby	1.0	WP/SR 17 WP/SR 18 WP/SR 26
10N23S	Collet Stubby	1.6	
10N24S	Collet Stubby	2.4	
10N25S	Collet Stubby	3.2	




Part Number	Description	Size (mm)	TORCH MODEL
85Z15	Collet Stubby	2.4	WP/SR12
85Z16	Collet Stubby	3.2	
85Z17	Collet Stubby	4.0	
85Z18	Collet Stubby	4.8	



Part Number	Description	Size (mm)	TORCH MODEL
17CB20	Collet body stubby	ALL	WP/SR17-18-26




气筛连接体 Gas Lens Body




Part Number	Description	Size (mm)	TORCH MODEL
45V41	Small Gas Lens Body	0.5	WP/SR9 WP/SR 20
45V42	Small Gas Lens Body	1.0	
45V43	Small Gas Lens Body	1.6	
45V44	Small Gas Lens Body	2.4	
45V45	Small Gas Lens Body	3.2	




Part Number	Description	Size (mm)	TORCH MODEL
45V24	Medium Gas Lens Body	1.0	WP/SR17 WP/SR18 WP/SR26
45V25	Medium Gas Lens Body	1.6	
45V26	Medium Gas Lens Body	2.4	
45V27	Medium Gas Lens Body	3.2	
45V28	Medium Gas Lens Body	4.0	
45V29	Medium Gas Lens Body	0.5	



Part Number	Description	Size (mm)	TORCH MODEL
45V116	Large Gas Lens Body	1.6	WP/SR17 WP/SR18 WP/SR26
45V645	Large Gas Lens Body	2.4	
995795	Large Gas Lens Body	3.2	
45V63	Large Gas Lens Body	4.0	



Part Number	Description	Size (mm)	TORCH MODEL
11GL18	Gas Lens Body	2.4	WP/SR12
11GL32	Gas Lens Body	3.2	
11GL55	Gas Lens Body	4.0	
11GL36	Gas Lens Body	4.8	



Part Number	Description	Size (mm)	TORCH MODEL
45V24S	Large Gas Lens Body	0.5	WP/SR9 WP/SR 20
45V2116S	Large Gas Lens Body	1.6	
45V64S	Large Gas Lens Body	2.4	
995795S	Large Gas Lens Body	3.2	

Cup Gasket





PLASMA WELDING & CUTTING PRODUCTS


Plasma Torch



Plasma Torch




Torch Body




Torch Body




Torch Body



Electrode & Nozzle Tip



Electrode & Nozzle Tip



Electrode & Nozzle Tip



插头插座 Cable Plug & Socket



Commodity Name	Specification	Rated	Cable Scale
Panel Socket Female	10-25	200A	10-25mm ²
	35-50	300A	35-50mm ²
	50-70	400A	50-70mm ²
	70-95	500A	70-95mm ²



Commodity Name	Specification	Rated	Cable Scale
Cable Plug - Male	10-25	200A	10-25mm ²
	35-50	300A	35-50mm ²
	50-70	400A	50-70mm ²
	70-95	500A	70-95mm ²



Commodity Name	Specification	Rated	Cable Scale
Cable Socket Female	10-25	200A	10-25mm ²
	35-50	300A	35-50mm ²
	50-70	400A	50-70mm ²
	70-95	500A	70-95mm ²




颜色 colour

电焊钳 Electrode Holder & 接地夹 Earth Clamp



电焊钳 Electrode Holder & 接地夹 Earth Clamp



钨针 Tungsten Electrode

钨电极的类型 Type	牌号 Mark	添加氧化物及其含量 Added Oxide & Content		其它杂质含量 Other Impurity content	钨含量 Tungsten	色标 Color	电子逸出功 electron work function
		氧化物 Oxide	含量 Content%	%	%		eV
纯钨极 Pure Tungsten Electrode	W1			<0.10	99.92	绿色 GREEN	4.5
	W2			<0.14	99.85		
钍钨极 Thoriated Tungsten Electrode	WTh-7		0.7-0.9	<0.20	Rest		2.0-2.2
	WTh-10		0.8-1.2	<0.20	Rest	黄色 YELLOW	2.6
	WTh-20		1.8-2.2	<0.20	Rest	红色 RED	2.7
	WTh-30		2.8-3.2	<0.20	Rest	紫色 PURPLE	3.0
	WTh-40		3.8-4.1	<0.20	Rest	橘黄 ORANGE	3.5
铈钨极 Ceriated Tungsten Electrode	WCe-15		1.3-1.7	<0.20	Rest		2.6-2.7
	WCe-20		1.8-2.2	<0.20	Rest	灰色 GREY	2.7-2.8
镧钨极 Lanthanated Tungsten Electrode	WL-10		0.8-1.2	<0.20	Rest	黑色 BLACK	2.6-2.7
	WL-15		1.3-1.7	<0.20	Rest	金色 GOLD	2.8-3.0
	WL-20		1.8-2.2	<0.20	Rest	天蓝色 Sky Blue	2.8-3.2



自动变光焊帽 Welding Helmet



Welding Gloves




Welding Gloves




Welding Gloves



其他 others



其他 others



其他 others



其他 others

