

2022-06-21

Hall: 6 Booth: 6A19

security essen

Burglar, fire and water resistant safe

Promet Safe presents its 3 in1 new product range which is combine burglar resistant grade 1, fire resistant 60P and water resistant test as well.

Contact:

Promet Safe Ltd.

Mr. Denislav Dechev

Rozova Dolina 60

6100 Kazanlak

Bulgaria

Fon: +35943162843

E-Mail: dechev@promet-safe.com

2022-07-29

Hall: 5 Booth: 5G19.1

security essen

PSG-72404XM

eten Technologies presents the new PSG-72404XM.

| 24-Port 10/100/1000 baseT(X) PoE+ with four-port 100M/1G/2.5G/10Gbps SFP+ slot

| IEEE 802.3at, up to 30W per port

| 802.3az energy efficient Ethernet

| Layer 2+ Full Managed Software Features with MSTP, LACP, LLDP, sFlow, 802.1X, RADIUS, TACAS+, and ACL

| DHCP Server/Relay/Snooping

| Voice VLAN

| PD alive check

| Fan-less model available

2022-07-07

Hall: 8 Booth: 8C22

security essen

Cordaware bestzero® - the smart Zero Trust Network Access solution

Implement remote working securely and easily without VPN: With the Zero Trust Network Access, remote access to applications is based on the zero trust model. Whereas VPN access, for example, unlocks the entire network, the ZTNA approach only provides dedicated access to individual applications. Application access is thus separated from the network layer. This removes resources from public visibility and significantly reduces the attack surface.

Not only in the home office

The modern working world is increasingly moving away from rigid office workplaces towards mobile and hybrid models.

Cordaware bestzero® is always used when it comes to providing internal resources securely and reliably.

Application examples for Cordaware bestzero®

With Cordaware bestzero, remote access can be easily established through dedicated connections at the application level.

- | Temporary provision of resources at universities – for example for students using their own end devices.
- | Simple and secure application access via the public W-LAN in your favorite café.
- | Straightforward management regarding resource access for BYOD scenarios.
- | Access to internal resources from the home office – work as you would in a familiar environment.
- | and much more...

Contact:

Cordaware GmbH

Herr Giovanni Di Terlizzi

Derbystraße 5

85276 Pfaffenhofen

Germany

Fon: +4984418593200

Fax: +4984418593300

E-Mail: giovanni.terlizzi@cordaware.com

2022-09-19

Hall: 6 Booth: 6A13

security essen

Prison room windows - custom built security

In forensic psychiatric clinics and prisons, which are under monument protections, the use of window bars is often not possible. In order to meet the requirements for burglar resistance, the aluminum windows made of thermally insulated aluminum profiles are burglar resistant tested according to DIN V EN V 1627 in class WK 4. For the needs of the respective institution as well as according to the requirements of the federal state, there are various prison room window designs.

Contact:

Thiem Modular Buildings GmbH

Herr Jürgen Thiem

Industriestraße 80

04435 Schkeuditz

Germany

Fon: +493420470880

E-Mail: info@mbthiem.com

2022-06-14

Hall: 7 Booth: 7D24

security essen

Safety class - EN54-24 certified loudspeakers

AMC Baltic provides high-quality speakers that are certified according to EN 54-24 standards, comply with strict acoustic requirements and are intended to use as construction products in accordance with applicable harmonized technical specifications. There are different options for various needs.

MC 4EN - metal ceiling loudspeakers for voice evacuation and voice alarm applications. High sound pressure level SPL and optimized middle frequency range sound reproduction ensure reliable operation and clear speech announcements in case of an emergency situation. Easy and fast installation into false ceilings due to quick fit clamps. Equipped with a ceramic wire terminal and thermal fuse. Available in black and white colour.

SP 10EN – plastic sound projectors for clear high-quality directional sound with 130 degree sound dispersion and a built-in 5" (127 milimetre) full-range speaker. Integrated 100 V transformer with power taps. Perfect for wide areas where clear, high-quality directional sound is required. IP55 rated for outdoor use. Available in black and white colour.

HQ 15EN – high-quality plastic horn speakers for voice evacuation and public address systems. 101 dB sensitivity makes them suitable for noisy and large environments where powerful and clear middle-range sound reproduction is required.

iSpeak 5EN surface-mount plastic loudspeakers with ABS plastic body and metal grill. Provides built-in 100 V transformer and 5" (127 mm) full-range speaker. Easily installed on any flat surface. Ideal for use for public address and background music applications.

Contact:

AMC BALTIC

Mr. Gintautas Raudys

Neries Krantine 14A

48397 Kaunas

Lithuania

Fon: +37037308585

Fax: +37037308583

E-Mail: gintautas@amcpro.eu

2022-08-01

Hall: 5 Booth: 5E31

security essen

Quad photoelectric beam sensor

The active photoelectric beam sensor consists of a transmitter and a receiver to keep alarm for your security purpose, with long protection range and four channel selectable beam frequencies.

Double modulation of the synchronized pulse beam with A.G.C. circuit. Protection against frost and snow and cut off visible rays effectively. Protection against rain, insects, and dust. Heating Unit (HT-200) as an optional part for extremely cold area.

Contact:

Taiwan Security Net Co., Ltd.

Ms. Sun Sophia

No. 4-46, Feng-Jen Road, Renwu District.

81459 Kaohsiung

Taiwan

Fon: 886-7-3721111

E-Mail: sophiasun@sengate.com

2022-08-17

Hall: 5 Booth: 5E11

security essen

MorphoWave: The contactless 3D finger scanner

MorphoWave is a biometric terminal for access control. The 3D finger scanner is able to scan and verify four fingerprints in less than one second by a fast, simple and completely non-contact hand movement. MorphoWave is highly accurate, fast, easy to use, hygienic and can be used indoors and outdoors without any restrictions.

It is also fully GDPR compliant and can operate in 2-factor authentication mode in combination with a mobile phone (NFC or BLE) or RFID card. In combination with suitable speedgates, MorphoWave offers a throughput of up to 60 users per minute. Through biometric algorithms, MorphoWave recognizes dry, wet or dirty fingers without problems. Depending on the device version, MorphoWave works with up to 100,000 users in 1:n verification mode without any loss of speed.

Contact:

IDEMIA Germany GmbH

Herr Soeren Wendland

Konrad-Zuse-Ring 1

24220 Flintbek

Germany

Fon: +4943477150

E-Mail: soeren.wendland@idemia.com

2022-09-02

Hall: 6 Booth: 6A17

security essen

RESCUBE - certified foldable shelter

The RESCUBE is an patented and proofed foldable shelter-solution.

It can be used as a simple upgrade for existing buildings or as an integral element of new constructions. It provides protection against blast impacts, shrapnels and directs hits. In war and conflicts zones it secures the civil life and population.

Contact:

Friedrich Hippe GmbH

Herr Gerrit Zilch

Töpferstraße 25

49170 Hagen a. T.W.

Germany

Fon: +4954056167000

Fax: +49540561700150

E-Mail: gerrit.zilch@friedrich-hippe.de

2022-08-31

Hall: 7 Booth: 7A18

security essen

e-Connect cloud platform

e-Connect is EL.MO. centralization, management, and supervision service that integrates intrusion detection, video surveillance, fire detection, and home management systems in a unified cloud platform.

The user-friendly interface of e-Connect allows end users to autonomously manage their systems from smartphones, tablets, or PC. Among the other features, e-Connect allows to:

- | control all the integrated systems' statuses (even multi-plant systems)
- | receive real-time notifications
- | manage systems through graphic maps
- | enable/disable security devices
- | display images of video surveillance systems
- | manage domotic systems such as irrigation and lighting systems, as well as third-party services such as voice assistants like Amazon Alexa and Google Home, and IFTTT services.

Furthermore, thanks to the multi-level structure, e-Connect is a great business opportunity for installers and distributors too, in terms of fidelity of customers and tailored services.

Security professionals can manage all the systems of their customers on a single platform, with the possibility to supervise and remotely assist all the systems, everywhere, offering them customized solutions or with remote assistance sessions.

The e-Connect platform is EN-50131 certified.

Contact:

EL.MO SPA

Mr. Simone Barbiero

Via Pontarola 70

35011 Campodarsego (PD)

Italy

Fon: +390499203333

Fax: +390499200306

E-Mail: simone.barbiero@elmospa.com

2022-03-24

Hall: 5 Booth: 5D23

security essen

Telescope ceiling mount for cameras

The infinitely extendable telescopic ceiling mount can be used universally for cameras, motion detectors, sensors, acoustics, lighting and much more. It can be viewed and tried out at the exhibition stand.

Contact:

FRS GmbH & Co. KG

Herr Fredi Reschke

Weingartenstr. 1-3

44263 Dortmund

Germany

Fon: +492319411350

Fax: +49231414712

E-Mail: fredi.reschke@frs-online.de

2022-08-05

Hall: 6 Booth: 6C37

security essen

3D AIR - touchless fingerprint scanner

The 3D AIR delivers touchless finger scanning in a truly harmonious interaction with the user for unrivalled accuracy and the highest security grade. Utilising unique 3D biometric technology developed by TBS, the 3D AIR sets the gold standard for touchless fingerprint scanning.

[find more information here](#)

Contact:

Touchless Biometric Systems AG

Frau Sabine Aufleger

Rietbrunnen 2

8808 Pfäffikon

Switzerland

Fon: +41555332000

Fax: +41555332001

E-Mail: sabine.aufleger@tbs-biometrics.com

2022-08-16

Hall: 6 Booth: 6F15

security essen

Patented cloud door-lock opening access control system

VRCN has developed a patented digital door-opening security solution based on their cloud identity authentication mechanism in the virtual access controller with use of a mobile credential in the form of dynamic QR code changing every five seconds to prevent copying. Traditional physical access controllers are not needed.

▮ Patented cloud based access control solution branded as idLink - there is no local hardware control; users and administrators can simply log-onto their web cloud accounts and perform all access control and data set ups, such as assigning readers to corresponding doors, issuing virtual cards to relevant staff, setting up door access and time attendance scheduling and [anti-passback](#) issuing temporary visitor mobile passes and generating different forms of reports, and more.

▮ While majority of access control system and software can work only in Windows environment, idLink cloud access control works perfectly in both PC and / or MAC system via browser like Safari.

▮ VRCN has also developed its idLink Mobile App, where inside a dynamic QR Code is generated to replace the traditional physical ID badge or RFID card. The Dynamic QR Code will also change every five seconds to prevent copying.

▮ Specially tuned card reader with RJ45 connection (or WiFi) to router and relay output to electronic lock and / or alarm for easy flexible on-site installation. The reader supports both Dynamic QR Code and RFID card operation.

▮ All bi-directional data communications among system components, like from cloud to and from mobile app / readers are AES256 encrypted.

▮ Yearly subscription-based AccessControl-as-a- Service (ACaaS) enabled with three packages of services, which are [Primary Edition](#), [Business and Enterprise Edition](#).

▮ API support functional extension to facilities booking, payment, CRM and IoT integration, and more - to provide better customer experience on separate cover.

Contact:

VRCN Ltd.

Mr. Kenneth Cheung

11 Cheung Yue Street

999077 Hong Kong

Peoples Rep. of China

Fon: +85226678100

E-Mail: kenneth@vrcnltd.com

2022-07-29

Hall: 5 Booth: 5E33

security essen

CI-701 Wiper camera enclosure

CI-701W is IP68 weatherproof with wiper housing controlled by camera's DI/DO with intelligent technology for wiper protection while facing obstruction or signal failure.

Contact:

Massload Company (Tsai Jung)

Ms. Camille Chou

No. 828, Chang Sheng Rd., Wai Pu Dist.

43865 Taichung City

Taiwan

Fon: +886-26830880 #201

E-Mail: camille@cl-massload.com.tw

2022-06-30

Hall: 5 Booth: 5C20

security essen

SPECTRE nano: Mixed vehicle and driver identification

SPECTRE nano uses contactless technologies to expedite entry and exit from parking garages, fleet lots, or corporate campuses. Nano can recognize either the driver, the vehicle or both by using UHF windshield tags, a badge or even the driver's Bluetooth smartphone with integration of the STid Mobile ID® ecosystem. These capabilities allow organizations to differentiate access control for vehicles and drivers with multiple profiles (like visitors, employees, tenants). In addition, SPECTRE nano is housed in a durable, anti-vandal shell that's resistant to shock, heavy precipitation, vibration, dust or even sea water. Maintenance is minimal, and no batteries are required.

High security

SPECTRE nano offers the highest levels of security, using encryption methods recommended by independent security organizations such as ANSSI and FIPS. In addition, OSDP™ and SSCP® protocols provide secure end-to-end, bi-directional communication. Key storage is certified EAL5+. Encrypted and signed credentials prevent cloning, and managers have the capability to quickly erase security keys.

Easy and intuitive

But, don't be intimidated by its robust features. SPECTRE nano is easy to install, easy to use, and can interface with most existing access controllers. STid strives to provide a more fluid and seamless access control process that is intuitive for its users without compromising any security requirement.

More info: <https://stid-security.com/en/products/spectre-nano-uhf-bluetooth-multi-technology-reader>

Contact:

STid Elektronik Identification

Ms. Sylvine Daude

20 Parc d'activites des Pradeaux

13850 GREASQUE

France

Fon: +33442126060

Fax: +33442126061

E-Mail: s.daude@stid.com

2019-12-17

Hall: 6 Booth: 6D39

security essen

Sol wireless control panel

The new wireless intrusion control panel by Inim is Sol. Getting the Sol up and running is incredibly quick and easy thanks to a simplified installation procedure.

Integrated QuickGO technology: the InimTech Security App allows quick programming of wireless devices and allows you to get small installations running in record time. The Sol is also connected to the Inim Cloud and offers installers and users full information and easy commands which can be activated by a single touch. It is sufficient to install just one LAN, WiFi or GSM module in order to have access to the full potential of the Inim Cloud - users and installers will see instantly the completeness and ease of use of information and commands accessed through the App and the web pages of Cloud.

Contact:

Inim Electronics S.r.l.

Ms. Baldovino Ruggieri

Via dei Lavoratori 10

63076 Monteprandone (AP)

Italy

Fon: 390735705007

Fax: 390735704912

E-Mail: info@inim.biz

2022-07-07

Hall: 5 Booth: 5F16

security essen

Super-Beam

Super-Beam uses the unique dual-detection technology to implement a very narrow "beam-break" system that automatically points a CCTV camera at the exact location of the intrusion. This camera "slew to cue" function gives the Super-Beam a major advantage over conventional PIDS sensors.

Super-Beam is ideal for mounting close to ground level, next to a physical fence in high security environments to detect walking, running or crawling intruders. The system forms a 3D volumetric detection area between the two sensor "heads". The exact location of any intruders is instantly measured when they cross the sensitive area. The associated CCTV cameras are automatically rotated and zoomed to point straight at the intruder.

Contact:

Ogier Electronics Ltd.

Mr. Ken Hollands

. Sandridge Park, Porters Wood, St.

AL3 6PH Herts

Great Britain

Fon: +441727853521

E-Mail: ken.hollands@ogierelectronics.com

2022-06-23

Hall: 5 Booth: 5C29.21

security essen

BMAcloud - Digital maintenance of fire alarm systems

BMAcloud is a software solution for digital maintenance and commissioning in the field of security technology, with a focus on fire protection.

With BMAcloud, you can optimize all maintenance processes for fire alarm systems and other hazard detection systems. From automated test plan generation to digital maintenance documentation according to DIN14675. For an increase in efficiency and quality of your maintenance.

Contact:

7systems GmbH

Herr Jürgen Vogel

Schwalbenweg 22

51789 Lindlar

Germany

Fon: +4922664400014

E-Mail: jv@7systems.de

2022-07-02

Hall: 6 Booth: 6C20

security essen

CEIA Opengate: Automatic screening of people with luggage, backpacks and bags for threat detection

OPENGATE is a groundbreaking weapons detection system designed for the automatic screening of people in transit, including their luggage, backpacks, and bags, for the detection of mass casualty metal threats, such as high caliber assault weapons and IED devices.

It is the first wire-free, screening portal consisting of two independent and self-powered pillars, with each pillar equipped with a support base and electronic analysis system.

Contrary to metal detector gates, OPENGATE does not require a mechanical and electrical connection between the two transducers that define the passageway. Acoustic and optical signals, located at the top of the pillars, provide simultaneous status and alarm indications.

OPENGATE features a near zero rate of nuisance alarms, and operates with very high transit flow, without the need for the divestiture of non-threat items. It is portable, elegant, easy to set up and ready to use with no installation required, including the setting and assembly of mechanical and electrical parts.

Its structure makes it suitable for indoor and outdoor operations, even in conditions of exposure to rain and sunlight, in all environmental conditions that are compatible with security screening operations. The extreme portability allows quick relocation of the gate, offering the most suitable solution for places where, for safety reasons, the checkpoint must be moved from obstructions after use.

If required, the detection and signaling parameters can be easily set via the OPENGATE App, designed for smartphones or tablets.

Contact:

CEIA S.p.A

Ms. Mary Giusti

Strada Prov.le di Pesciola, 54

52041 Civitella in Val di Chiana-Arezzo

Italy

Fon: +3905754181

Fax: +39575418357

E-Mail: mgiusti@ceia-spa.com

2022-09-21

Hall: 6 Booth: 6A13

security essen

Modular indoor shooting ranges with digital shooting cinema - complete turnkey solution

Modular indoor shooting ranges with digital shooting cinema - complete turnkey solution and can be set up in any climate zone and critical building environment. Training options include basic and practical training with static and dynamic target projection.

The shooting ranges are according to guiding principles of BMI as of 10/23/2012. Authorized by publicly appointed expert for shooting ranges according to paragraph 27a, weapon law.

Contact:

Thiem Modular Buildings GmbH

Herr Jürgen Thiem

Industriestraße 80

04435 Schkeuditz

Germany

Fon: +493420470880

E-Mail: info@mbthiem.com

2022-09-12

Hall: 6 Booth: 6F29

security essen

Metal Injection Molding for complex lock and security components

Metal Injection Molding excels at applications that require shape complexity and material properties (high strength, magnetic permeability and corrosion resistance) that cannot be fulfilled by plastic and light metal alloys. It offers tremendous single-step parts consolidation potential that makes it a competitive alternative to stamped/machined-parts assemblies.

Many design and economic limitations of traditional metalworking technologies can be readily overcome by MIM.

Contact:

Indo-MIM Pvt Ltd

Mr. Senthil Siva

#45(P) KIADB Industrial Area

562114 Hoskote

India

Fon: +4971165500243

E-Mail: senthil.s@indo-mim.com

2022-08-19

Hall: 8 Booth: 8A15, Hall: 8 Booth: 8B15

security essen

New version WinGuard X5

Advancis, one of the international market leaders in vendor-neutral Physical Security Information Management, presents its new WinGuard version X5.

For the first time, this Major Release is based on the new software platform AOP (Advancis Open Platform) and thus offers amongst other features more flexibility through an open access for 3rd party applications.

Contact:

Advancis Software & Services GmbH

Frau Johanna Wünsch

Monzastr. 3

63225 Langen

Germany

Fon: +496103807350

Fax: +4961038073511

E-Mail: johanna.wuensch@advancis.de

2022-08-02

Hall: 5 Booth: 5A42

security essen

AMG launch New 19" retractable Rack and AMG570 Compact L2+ Switch

For the 2034, its short depth and heavy duty slide-out mechanism ensures an easy-to-install solution for AMG and third-party DIN rail equipment in 19-inch racks and cabinets.

The 2034 features a locking line cord to prevent accidental disconnection. Each rack chassis features removable screw terminal connections for up to ten devices depending on product width and occupies only four U of rack space offering a simple and elegant rack mount solution for space-restricted installations.

The new rack can be ordered without any power supply as a pure mounting system fully integrated single or dual redundant mains or DC input power supplies with both twelve volt DC and 56 volt DC outputs, available to support power over ethernet and non-power over Ethernet equipment.

It is designed and manufactured in the United Kingdom.

AMG570 Compact, one of the smallest fully managed L2+ switches

As for the AMG570 Compact, is one of the smallest switches in the market but still carries many of the same features as the larger eleven port model all within a small package. These thermally efficient units can be DIN rail or wall mounted making installation or maintenance quick and easy.

The switch has four Gigabit Ethernet RJ45 ports along with an additional two multi-rate SFP ports that can support 100 Megabit, one Gigabit and 2.5 Gigabit Ethernet switching for high-speed data uplinks for core or distribution network applications, allowing site wide flexibility in compact spaces.

Featuring the latest ERPS (G8032) and MRP Ring Protection, the Compact also offers complete peace of mind for critical network infrastructure projects. Being designed and manufactured in the UK, AMG maintains full control over the security and reliability of the product.

AMG provide free-of-charge, comprehensive technical support from qualified network engineers.

Contact:

AMG Systems Ltd

Herr Steve Songhurst

3 The Omega Centre, stratton Busine

SG18 8QB Biggleswade

Great Britain

Fon: +441767600777

E-Mail: steve.songhurst@amgsystems.com

2022-04-13

Hall: 5 Booth: 5D21

security essen

Scutum inform EVA Lx – for secure IT operations

Due to data protection requirements, the made-in-Germany video surveillance system “Scutum inform EVA Lx“ is provided with a whole range of technical mechanisms to protect personal data. In order to meet all the operator's IT security requirements, we are talking about a hardened embedded system, that is able to participate in a regular patch and release management. It also fulfils the newest robbery prevention regulations of the German Social Accident Insurance (DGUV) which apply to POS in general as well as to public sector payment offices. In conjunction with the optionally available central management system the appliance is perfectly suitable for the subsidiary retailing business. Open interfaces make customizations possible.

Innovation: Secure IT operations

With the „Lifetime Security Update Service“ – routinely performed via the central management system – all video appliances have the same software release level and the same operating system version at any time.

The secure web access can be implemented even more secure by using browser certificates with wildcard option.

With the VPN option and specific transmission protocols an Emergency Call Centre (ECC) activation is supported.

Contact:

Scutum inform GmbH

Herr Thomas Neukam

Herbert-Wehner-Str. 13

59174 Kamen

Germany

Fon: +492307973330

E-Mail: thomas.neukam@scutum-group.com

2022-06-27

Hall: 5 Booth: 5G17

security essen

XPressEntry - emergency mustering

Ensure everyone is safely accounted for during a true emergency. Add XPressEntry handheld readers to access control systems to improve evacuations, employee safety and OSHA / regulatory compliance.

Please visit <https://telaeris.com/xpressentry/emergency-mustering/>

Contact:

Telaeris, Inc.

Mr. Rainer Boelzle

9123 Chesapeake Drive

92123 San Diego

USA

Fon: +18586279700

E-Mail: rainer.boelzle@telaeris.com

2022-06-16

Hall: 7 Booth: 7C24

security essen

Razberi Monitor: Cybersecurity software from ComNet

ACRE International are aligned with key industry evolution, focusing on cybersecurity, infrastructure, and the convergence of systems and technologies to support future-proofing customers through the advancement of value-based solutions that deliver superior, seamless user experiences.

One such product in ACRE's in-depth portfolio is Razberi Monitor™, a software platform that provides a top-down view of the physical security network and ecosystem without IT resources. It monitors and manages all the system components for both cybersecurity and system health, and can be deployed from the cloud or on-premise.

By intelligently utilizing system properties and sensor data, Razberi's award-winning cybersecurity software prevents problems while providing a centralized location for asset and alert management. Monitor™ enables proactive maintenance by offering problem resolutions before they become more significant problems. Identifying issues before they fail and become an outage is key to system availability and, moreover, is a considerable OPEX cost saving.

Cybersecurity events that Razberi Monitor can protect from include:

- | Brute-force attack
- | Denial of service attack
- | MAC Spoofing
- | Unauthorized device
- | Whitelist and internet protection violations
- | Camera video and audio loss
- | IoT device excessive reconnects and switch statuses
- | Devices connecting to the network with common and default passwords

These cyber threat conditions are loaded and alerted live through the Razberi Monitor platform. Additionally, with Razberi Appliance defense, the Cylance Protect AI Antivirus and Antimalware protection are fully integrated, meaning any viral software attacks are also alerted.

Razberi Monitor's innovative features and benefits were recognized when the product won the 2021 Detektor International award for Innovation.

Contact:

ACRE International

Mr. Zuber Ulrich

Am Sandfeld 9

76149 Karlsruhe

Germany

Fon: +497219588081

E-Mail: ulrichzuber@acre-int.com

2022-08-22

Hall: 6 Booth: 6E17

security essen

GfS Exit Control 179

The GfS Exit Control 179 secures the emergency exit and enables it to be used in a single opening process. In the locked position, the GfS Exit Control 179 guard secures the door handle. The door can be used in an emergency.

By pressing down on the door handle, the GfS Exit Control 179 guard moves vertically downwards and gives the handle free way. The emergency exit door can be inspected. At the same time, a continuous signal sounds. It can only be unlocked with the help of a key.

Have an authorized person switch off the continuous alarm and reset the GfS Exit Control 179 to its initial position. For continuous through operation

permanent release of the system via the device key is possible. The door can also be accessed individually without an alarm using the key via the changeover function of the door lock.

Dimensions: Length x Width x Depth in millimetre (190 x 52/45 x 76).

Sturdy metal design (die-cast zinc) with concealed housing attachments (sabotage protection) painted in RAL 6029 (green).

Included

- Cylinder length 30/10 millimetre - changing the cylinder is possible
- 9 volt block battery
- Long afterglow pictograms for door and device
- Signal transmitter (105dB/1m) which triggers when it is actuated (pressing down the door handle with a flick of the wrist)

Variants

- Panic bar
- Pre-alarm
- Wired and wireless alarm forwarding
- Kindergarden solution

Contact:

GfS-Gesellschaft für Sicherheitstechnik mbH

Herr Martin Grell

Tempowerkring 15

21079 Hamburg

Germany

Fon: +407901950

Fax: +4079019511

E-Mail: martin.grell@gfs-online.com

2022-08-29

Hall: 7 Booth: 7E21

security essen

Safety lighting in a modern design

To make escape sign luminaires - which tend to be an aesthetic thorn in the side of many architects and end customers - more appealing, the Labor Strauss Group offers two design series.

The Unique series impresses with its housing made of brushed V4A stainless steel in different recognition widths and mounting variants and adds the finishing touch to modern interior design. The housing of the new A-Line series is made of die-cast aluminium, available in white and black as standard.

A total of more than 140 different luminaire variations are available in multifunctional designs and versions - for recessed or surface mounting on walls, surface mounting on ceilings, integration into hollow ceilings or for ceiling suspension. They are equipped with energy-saving LED technology and are designed for single battery supply with or without autotest, wireless monitoring or for central energy supply.

Contact:

Labor Strauss Sicherungsanlagenbau GmbH

Herr Andreas Kurzweil

Wiegelestraße 36

1230 Wien

Austria

Fon: +4315211419

Fax: +4315211427

E-Mail: andreas.kurzweil@lst.at

2019-12-18

Hall: 5 Booth: 5G30

security essen

Eco HD analogue monitor

The company presents an Eco HD analogue monitor.

? FULL HD Resolution

? Narrow Bezel Design

? 5MP TVI, 5MP AHD, 4MP CVI Support

? 1xHDMI, 2x BNC IN, 2x BNC OUT,

? TVI/CVI/AHD/CVBS auto recognize

? 24x7 design

? CE, FCC, Rohs, ETL

Contact:

Shenzhen Disida Electron Co., LTD

Mr. Bruce Jia

Seat 5, Zone 2 Fuqiao Industrial Park, Fuyong Town, Baoan District,

518101 Shenzhen,

Peoples Rep. of China

Fon: +8675527516919

Fax: +8675527516919

E-Mail: sale1@disida-lcd.com

2022-09-16

Hall: 6 Booth: 6B27

security essen

SALTO Homelok

The highlight on the SALTO booth is the completely newly developed cloud platform SALTO Homelok for the residential industry. Homelok combines the advantages of wire-free networking via the SALTO Virtual Network (SVN) with cloud-hosted management software.

The platform impresses with maximum security, scalability and integration capability as well as an enormous wealth of functions. It provides property owners and managers with a tool that allows them to manage their properties comfortably, flexibly and efficiently and that can be seamlessly integrated into smart living ecosystems.

Contact:

SALTO Systems GmbH

Herr Hagen Zumpe

Schwelmer Str. 245

42389 Wuppertal

Germany

Fon: +491714299805

E-Mail: h.zumpe@saltosystems.com

2022-07-25

Hall: 5 Booth: 5B11

security essen

Deposit lockers

The Ferrimax deposit lockers allow return of cash to the client in a safe way, flexible and personalized. The compartments are electronically controlled and do not need keys, they can only be opened with the user ID previously registered by the bank.

The compartment doors have several fixing points in order to ensure security against vandalism.

Contact:

FERRIMAX, S.A.

Mr. Vasyl Lototskyi

Progrés No 2

08105 Sant Fost de Campsentelles - Barcel

Spain

Fon: +34934601696

Fax: +34933996159

E-Mail: vlototskyi@ferrimax.com

2022-07-28

Hall: 5 Booth: 5C29.1

security essen

Cloudbased access control systems

The cloud-based access control from nubicon combines the advantages of existing systems with the flexibility of the cloud. The software is accessible via any browser, on any internet-enabled device, and can thus be accessed flexibly, at any time and from anywhere. At the same time, the security of on-premises systems (networked systems installed on site) is guaranteed, as the data is stored locally. Thus, the system remains functional - even if the connection of the hardware to the cloud fails.

The following components can be integrated into nubicon systems:

- | Doors and separation systems
- | Barriers and gates
- | Parking lot control systems
- | Furniture locks
- | Hazard alarm systems

In addition, various security options are possible, such as

- | Elevator control, floor authorization
- | Anti-passback
- | Length-of-stay-monitoring
- | Area change controls
- | Four-eyes principle
- | Repeat access blocking
- | Lock control
- | Multi-user capability - any number of users can use the software
- | Multi-client capability - any number of companies can administer themselves

For maximum flexibility, the software can be installed in three different ways:

- | on the certified nubicon data center in Germany - without installation or maintenance effort for the client/user
- | in a private cloud - with the cloud provider of your choice

on-premises - on the own server

The software is available in three expansion stages and can be extended at any time - so your interface control grows with you and your requirements.

By the way, the nubicon time recording software is based on the same principle.

Contact:

nubicon gmbh

Frau Linda Scheffold

Neuer Weg 28

72458 Albstadt

Germany

Fon: +4917621596005

E-Mail: linda.scheffold@nubicon.de

2022-07-02

Hall: 5 Booth: 5C29.15

security essen

Innovation Safe4Life: Protection against Kalashnikov (AK47), handguns and stab protection

A unique feature is that Safe4Life has a revolutionary integrated body protection design. Since the carrying system is integrated into the ballistic protective plates, no plate carrier or a textile cover/vest is required anymore.

Field of application: Anyone who needs ballistic protection in threatening situations (for example: paramedics, charities, NGOs, hunters, boats, fire brigade).

Main advantages:

- | Protection against AK47
- | Safe4Life is compact and easy to carry
- | Specially developed HSX coating for spall prevention
- | You can put it on within five seconds

Further information on www.hartarmour.com

Contact:

Hart Armour GmbH

Herr Onno Hart

Rudolf-Diesel Str. 115

46485 Wesel

Germany

Fon: +4928195990221

E-Mail: onno@hartarmour.com

2022-08-31

Hall: 6 Booth: 6E28

security essen

Server safe DRS Prisma I TEMPEST

The safe is approved according to ECB-S R16 (ECB-S Guideline for the certification of IT safes) based on EN 1143-1 Grade I and the server chassis is certified to NSA 94-106.

The server safe is a combination of high burglary resistance and high shielding of over 100 dB. 15 standard server elements fit into the 19" server rack. For temperature regulation, the server housing is equipped with speed-controlled fans. A sensor is used to measure the temperature in the server cabinet. If a temperature value is exceeded, the fans are activated and uniform ventilation takes place. This cools down the inside of the server chassis. Through an adapter plate, the cable glands can be customized to customer requirements.

- More than 100 dB shielding efficiency
- Approval according to ECB-S R16 Grade I burglary resistance
- Certified in according to NSA 94-106 / EN 50147-1
- Temperature sensor for measuring the internal temperature
- Fan data 220-240VAC, 50/60Hz, 20/19WATT, 43/48dB(A)
- Three fans installed, 432m³/h / 534m³/h
- 19 "rack equipped for max. 15 server elements
- The cable glands have a radius of ten centimetre for optimal routing of the fiber optic cables
- External dimensions: H = 1180 milimetre x W = 755 milimetre x D = 1070 milimetre
- Weight: 495 kilogram

Contact:

De Raat Security Products B.V.

Herr Marc Dudink

Edelgasstraat 5

2718 SX Zoetermeer

Netherlands

Fon: 0031 654964472

E-Mail: marc.dudink@deraat.nl

2022-05-06

Hall: 8 Booth: 8D10

security essen

Pepper Launcher EOC PepperSoaker

The pepper launcher EOC PepperSoaker has improved accuracy in unfavorable light conditions or darkness through laser illumination of the irritant beam.

LCD display always shows the current battery charge level.

Maximum range: Compared to classic official sprays, the eOC PepperSoaker has twice the range and is between one and seven meters usable.

Large charge cartridges each contain 70 ml of irritant, training spray or cleaning fluid.

Piexon eOC Pepper Soaker Set - delivered in a plastic case - consists

- 1 x EOC Headstock
- 1 x EOC Grip
- 1 x charging adapter
- 1 x EOC Mission Reload Unit (75ml)
- 2 x EOC training reload units (each 75 ml)
- 1 x EOC cleaning recharge unit (75 ml)

Contact:

kh-security GmbH & Co KG

Mr. Andre Hartweg

Haidering 17

65321 Heidenrod

Germany

Fon: +4961247279812

Fax: +4961247279830

E-Mail: andre.hartweg@kh-security.de

2022-07-22

Hall: 6 Booth: 6A25

security essen

Xesar release 3.1 - even easier, even better

The new Version 3.1 software update for Xesar makes the system even easier and even better. The new Installation Manager and the ability to perform maintenance tasks wirelessly are the highlights of the new release.

New Installation Manager

The new Installation Manager for PC installations guides the user through the software installation in simple steps. All necessary system settings are checked and solutions are suggested if necessary. Now, even users with little training can complete the PC installation in the shortest possible time.

Wireless maintenance

There is no longer any need for a cable connection between the component and the tablet to perform maintenance tasks. Maintenance is carried out via encrypted wireless connection.

Bluetooth on/off card

In construction mode, the wireless transmitter on the component can be switched on and off as required using the Bluetooth on/off card or key tag.

Battery management optimised

The Xesar software now clearly displays the battery status, giving the maintenance technician clear guidance. A "Battery empty" status is automatically placed at the top so that it cannot be overlooked. Battery replacement is described on the tablet in a step-by-step guide.

Secure Bluetooth wireless connection

The new Bluetooth wireless connection is secure against hackers. All data communication channels in the Xesar access system are encrypted regardless of the transmission type (LAN / Wifi / BLE / USB / RS485 and more). If, for example, a vulnerability in the Bluetooth encryption is known, this is irrelevant for Xesar because any data exchange in the access system is additionally encrypted.

2022-08-26

Hall: 7 Booth: 7E21

security essen

Fire Brigade Key Depot SD950

The new Fire Brigade Key Depot SD950 is used for the theft-protected storage of object keys to enable the fire brigade's emergency services to access the building quickly and without violence. The housing with the firmly welded frame made of five millimetre stainless steel offers not only improved handling on site but also a visually appealing solution when installed. The key depot is factory-prepared to accept one object key. An extension for up to six monitored object keys is possible.

The highlights of the new VdS-approved SD950:

- | Made entirely of V2A, surface: polished
- | Two-colour status display on the door knob for: Unlocked and alarm
- | Fixed key audibly engages
- | LED interior lighting
- | No disturbing superstructures on the drill protection of the outer door
- | Temperature-controlled heating as standard
- | Basic version already suitable for two extra-long object keys
- | A swivelling flex console is optionally available
- | Two-colour status display of the object keys in the interior

New stand and wall columns for the SD950 are also available.

The SD950 can be connected to all fire alarm control panels (from any manufacturer) via the AD900 connection adapter.

Contact:

MEP-Gefahrenmeldetechnik GmbH

Herr Gerd Winkler

Feldstraße 18a

09509 Pockau

Germany

Fon: +49373673180

Fax: +493736731842

E-Mail: gerd.winkler@mep-pockau.de

2022-07-28

Hall: 6 Booth: 6A36

security essen

Ultra keyfob

Ultra keyfob is crowned with a metal part which gives a great volume in your hand and conveys a sense of refinement from its matte texture. This keyfob also features its extra robust housing for greater durability.

Customize print for your company identify or branding purpose and an array of seven colors available, making your keyfob an appealing accessory to show your taste and style.

Contact:

SAG – Securitag Assembly Group Co., Ltd.

Mr. Chen Stanley

No. 1, Gongye 9th Road, Dali District

41280 Taichung

Taiwan

Fon: +886 424925298 #1116

E-Mail: info@sag.com.tw

2022-07-28

Hall: 5 Booth: 5A27

security essen

Live Witness

Digifort's Live Witness app is a value added application to Digifort's vms. It's a revolutionary concept turned into reality for public safety and security of a venue. It is a collaborative security developed for active population in the venue or public places where the concerned visitor can simply scan the QR code which will download the app.

They are now ready to connect in order to assist in their security efforts by reporting incidents, suspicious person or objects as well as medical emergencies.

Using their phone, it will stream Video, Audio and GPS location.

Contact:

Digifort Pty Ltd

Mr. Francois Flevy

100 Harris Street

2009 Pyrmont NSW

Australia

Fon: +44 75 93661888

E-Mail: flevy@digifort.com

2022-09-12

Hall: 5 Booth: 5A17

security essen

BioStation 3 - The new door access experience

BioStation 3 sets a new standard in access control, providing a new door access experience that enables improved security across all doors, for organizations of all sizes. This terminal is smaller than previous model, yet it has the largest variety of features.

With highly advanced facial recognition, access credentials and usability features, BioStation 3 makes it easier than ever to safely, securely and conveniently protect an organization's physical security and users' personal data.

Simple to add on new features via custom USB host connecting to SIM Slot, RS232, and more. Suitable for indoor and outdoor environments — the terminal is rated IP65 and IK06.

Suprema took its facial recognition technology to the next level. BioStation 3 is a high-tech edge device that can run AI algorithm locally. It uses an NPU, or Neural Processing Unit, to maximize the performance of its AI engine. Combined with Suprema's domain knowledge and experience as a two-decade access control leader, BioStation 3's NPU-optimized AI algorithm offers the highest standards in facial recognition accuracy and speed.

Suprema's exclusive authentication method 'Face Template on Mobile' lets users enroll into an access control system and store their face profile directly on their own mobile devices. This gives the users complete control over their own ID and their privacy. Users' biometric data is not stored in company databases.

Contact:

Suprema

Mr. Artem Arifov

. 366 T Rue de Vaugirard

75015 Paris

France

Fon: +33184732943

E-Mail: sales_eu@supremainc.com

2022-08-17

Hall: 6 Booth: 6A20

security essen

SMACS anti tailgating with integrated four-eyes principle

SMACS are able to secure multiple types of flows simultaneously (people, people with disabilities, people with extreme body sizes, hand luggage and equipment). SMACS can be installed and integrated seamlessly in existing infrastructure. SMACS operation modes are aligned on the requirements of the customers and include such modes as the "symmetric security" mode, the "asymmetric security" mode, the "single lock" mode, the "VIP" mode, the "transport" mode, and more.

The SMACS solutions have been used to enforce many demanding security standards in different market sectors.

Such standards include PCI-CP, IFS, TAPA, AEO, and more.

SMACS can fully automatically integrate the requirement of a four-eyes principle.

Typical applications are in:

- | Datacentres
- | Secured production zones
- | Financial institutions
- | Airports
- | Vaults
- | Government facilities
- | Laboratories and R&D centers
- | Headquarters
- | Prisons
- | ?

Contact:

Fastcom Technology S.A.

Herr Eugen Zähler

Avenue de Provence 4 a

1007 Lausanne

Switzerland

Fon: +41216190670

Fax: +4122411689003

E-Mail: zaehler@fastcom-technology.com

2020-02-24

Hall: 6 Booth: 6E08.F

security essen

VdS certified sealed lead acid batteries / Genesis NP series

EnerSys sealed and maintenance free lead acid batteries provide the highest reliability for all VdS relevant applications.

Contact:

accu-profi Solution GmbH & Co. KG

Herr Ralf Lehnen

An der Loher Mühle 25

32545 Bad Oeynhausen

Germany

Fon: +4957318665550

Fax: +491757076086

E-Mail: ralf.lehnen@accu-profi.de

2022-07-02

Hall: 6 Booth: 6E25

security essen

HSB-CB21 - the smart sensor barrier

The sensor barrier becomes smart. Cambaum presents a new sensor gate.

Contact:

Cambaum GmbH

Frau Regine Dufner

Im Rollfeld 15

76532 Baden-Baden

Germany

Fon: +4972219694641

E-Mail: regine.dufner@cambaum.de

2022-09-01

Hall: 7 Booth: 7C35

security essen

MyShield: smoke-generating intruder prevention system

The world's first standalone security fog generating solution for intruder prevention and detection. MyShield actively protects your home and business with a powerful combination of motion detection, video, voice and fog diffusion.

Security systems must evolve to address both current and future risks. While implementation challenges remain, the industry needs to establish and define real solutions that can be employed to protect residences and small businesses.

New capabilities are needed to protect not just people and property at home, but also in their places of business and in public spaces. Methods exist to detect and deter intruders such as sirens and cameras, however, as new threats continue to emerge, modern society requires fresh intervention technologies.

To introduce a more resilient and accessible solution that is available to a wider market, Essence Security, part of Essence Group, has developed the MyShield smoke-generating intruder prevention system, designed to close the critical time gap between an intrusion and the arrival of emergency response.

Being battery powered and LTE Cat-M-enabled ensures that cellular connectivity is maintained, even in the event of power outage. Easy to install and user friendly, the solution can function as either a standalone device or integrate with an existing security system.

It can be self-monitored by the property owner via a mobile app or connected to a professional monitoring service. With this award-winning all-in-one security solution, a home or business owner can enjoy the peace of mind of near-zero response security intervention.

Contact:

Essence Security International

Ms. Hadas Genut

. 12 Abba Eban Avenue, Ackerstein Tower

4672530 Herzliya, Israel

Israel

Fon: 00972 73 244 7777

E-Mail: hadasge@essence-grp.com

2022-09-06

Hall: 6 Booth: 6B37

security essen

The Magnetic Direct Drive motor (MDD)

The Magnetic Direct Drive (MDD) motor is the unique, globally patented, brushless motor specifically designed for turnstiles and automatic entry gates. Its main advantage is its completely maintenance-free operation.

It doesn't need a gearbox, clutch, or oil and can easily withstand dusty and wet environments. It is also quiet, making it the perfect choice for use in schools, libraries, and museums, for example.

MDD motors are now guaranteed to last 20 million mean cycles between failures (MCBF), an exceptionally long motor service life. This makes them the ideal solution for installations with a high volume of foot traffic, such as office buildings, railway stations, and airports.

Contact:

COMINFO a.s.

Mr. Jakub Vicik

Narbrezi 695

76001 Zlín, Prstne

Czech Republic

Fon: +420736523105

E-Mail: jvicik@cominfo.cz

2022-08-17

Hall: 5 Booth: 5D29O

security essen

Thermal monitoring cameras

Planck Vision Systems introduces the TNC series of fixed mount and pan-tilt dual thermal/visible network cameras for 24/7 monitoring of commercial applications including: early fire detection, manufacturing, electrical substations and distribution infrastructure, data centres and storage facilities.

The TNC series offer fusion of thermal-visible images with 18 thermal color palettes, full-scene temperature monitoring with up to twelve user defined local regions, intelligent high/low temperature tracking, comparative temperature measurements, and fire detection. Alarm condition detection come with relay control and network broadcasting features.

The TNC series is supported by the PlanckView camera management software and a full function API.

Contact:

Planck Vision Systems LLC

Mr. Lei Bennett

#168 5662 Calle Real, Goleta

93117 California

USA

Fon: 18054503080

E-Mail: lei.bennett@planckvisionsystems.com

2022-03-27

Hall: 8 Booth: 8C18

security essen

AppVision™ - the open PSIM solution

AppVision™ is an open PSIM solution. Therefore, it allows to federate and monitor in a single interface systems and applications that do not natively communicate with each other.

BENEFITS: Why deploy AppVision™?

▮ **Freedom of choice:** with its library of existing drivers and integration capabilities, AppVision™ gives you the ability to choose the brands and products best suited to your installation.

▮ **Interactions between equipment:** Thanks to its links engine, AppVision™ can easily create interactions between different connected systems. Operator reactivity is optimized, the level of security increased.

▮ **A streamlined workstation:** a desktop without integration means: many different software installed on multiple PCs. With AppVision™, you streamline your desktop with one interface and one DB to monitor everything.

▮ **The evolution of you installation:** With AppVision™, you federate the technologies already existing in your facility and those implemented in the future without impacting the overall architecture. Your installation can evolve seamlessly.

▮ **A cost-effective installation:** When you deploy AppVision™ on your installation, you generate ROI. You realize immediate savings on your operations and in the longer term. The cost of upgrading your installation is thus under control.

Why choose AppVision™ as your PSIM?

▮ **Integration capacity:** With SDK, products with a communication protocol can be integrated into AppVision™. Skills transfer is also performed for you to perform your own integrations.

▮ **Unlimited customization:** You can customize the platform to create your own OEM version and meet your markets' expectations even better, while respecting your clients' requirements.

Contact:

Prysm Software

Ms. Sophie Mornet

155 rue Paul Langevin, Parc des Alizés, Bâtiment B

13290 Aixen Provence

France

Fon: +33442971497

E-Mail: sophie.mornet@prysm.fr

2022-09-16

Hall: 8 Booth: 8D12

security essen

MailSecur - Postalscreening

The innovation for mailroom screening will be presented every day.

Contact:

unival group GmbH

Herr David Vollmar

Am Hofgarten 4

53113 Bonn

Germany

Fon: 022892685810

Fax: +4922892685829

E-Mail: david.vollmar@unival-group.com

2022-09-08

Hall: 5 Booth: 5C29

security essen

IXG System: IP-based residential system

IXG System is the full IP residential system which helps improve lifestyle convenience. Thanks to smartphone app, you can respond to visitors while out. Integration is the important key of IXG system. The system is perfect for complex buildings with mixed residential and commercial systems.

IP-based peer to peer system

Communicate between video tenant station and video entrance station with no distance limitations.

To reduce any further cost, this system requires no servers.

Smartphone app available

Never miss a call while away from home. You can answer a call with your smartphone.

Integration

Integration with IX system and network camera system.

Contact:

AIPHONE

Mr. Kohei Tanaka

6 Rue des Pyrénées

91090 Lisses

France

Fon: +33649216131

E-Mail: ktanaka@aiphone.fr

2022-08-17

Hall: 7 Booth: 7F19

security essen

Microwave sensors based on FMWC radar and modernised software with Bluetooth

Forteza World presents microwave sensors based on FMWC radar and modernised software with Bluetooth.

Furthermore, there are also these novelties:

- | Perimeter protection with radar sensors FORTEZA system
- | Perimeter surveillance of buildings with radar sensor technology
- | Hidden Radar Sensor (HRS) system in luminaires
- | Energy-autonomous radar protection systems for rapid deployment FORTEZA 1000
- | Wall crown protection and monitoring system

Contact:

FORTEZA WORLD

Herr Ullrich Hering

Alte Hauptstr. 52

01833 Stolpen

Germany

Fon: +493597325342

Fax: +493597325343

E-Mail: info@forteza-eu.de

2022-05-24

Hall: 7 Booth: 7C24

security essen

ACTpro & ACT365 access control solutions: Leaders in cloud and on-premise access control systems

ACT access control solutions are role-based, scalable and available as either on-premise and cloud-based systems, supporting all vertical requirements. Incorporating advanced feature sets such as video and intrusion integration will aim to help protect people, property and assets.

Bluetooth low energy readers are a secure and flexible identification solution bringing the access credential to Android™ and iOS® smartphones. A simple credential license model offers users long-term cost savings without annual subscriptions or hidden costs.

SPC integration

ACTpro software interfaces with Vanderbilt's SPC intrusion system and allows real time system status to be viewed via its graphical user interface.

Using a simple drag and drop method, icons can be located on a map allowing the security operator to view real time alerts and take appropriate action to cancel and acknowledged alarms. This enhanced cause and effect integration allows for customizable outcomes such as locking doors automatically in an alarm event.

ACT365 is Vanderbilt's award-winning, cloud-based access control and video management solution

ACT365 holds many advantages for installers and end-users alike. Integration: By combining access control and video management into one unified interface, business owners can obtain more visibility and control of their premises. For example, when incidents occur at a door (as they often do), operators can simply click on the access control event to locate and review the recorded footage. Additionally, with alarm panel integration, ACT365 allows authorized cardholders to arm and disarm the system, either with a credential or from the web portal.

Contact:

ACRE International

Herr Zuber Ulrich

Am Sandfeld 9

76149 Karlsruhe

Germany

Fon: +497219588081

E-Mail: ulrichzuber@acre-int.com

2022-06-15

Hall: 7 Booth: 7C17

security essen

Solutions range

Ksenia presents its solutions range.

Contact:

Ksenia Security S.p.A.

Ms. Daniela Dimasi

Strada Provinciale Valtésino 49

63065 Ripatransone (AP)

Italy

Fon: +390735751646

Fax: +390735652281

E-Mail: ddimasi@kseniasecurity.com

2022-08-29

Hall: 7 Booth: 7B21

security essen

HELIH® Security radio window handle

The HELIH® is a handle for windows and French windows that combines comprehensive condition monitoring with electromechanical locking of the window/window door. It is suitable for both side hung and tilt and turn windows.

The HELIH® can detect the following states and send them encrypted by radio to the radio gateway:

- Handle position (down, sideways, up, intermediate positions)
- Window tilt position
- Window opening (magnetic contact, independent of the window tilt position)
- Sabotage of the magnetic contact (in case of excessively strong magnetic field)
- External field influence on the magnetic contact
- Lifting off the battery compartment cover or unscrewing the HELIH® from the window
- Enclosing the HELIH
- Handle locking (is the window locked by the HELIH® or not)
- Condition of the battery
- General malfunction
- Optional: glass breakage and sabotage of the glass breakage sensor

Contact:

BSS Baumann Sicherheitssysteme GmbH

Herr Daniel Baumann

Stockacher Str. 30

78315 Radolfzell

Germany

Fon: 00497732982790

Fax: 004977329827910

E-Mail: d.baumann@bss-sdi.com

2022-08-03

Hall: 5 Booth: 5F31

security essen

NDA compliant products HDVR / NVR / vehicle HDVR / IPCam series

In order for video surveillance equipment to be installed on U.S. government properties, it must comply with section 889 of the 2019 NDAA. For the purpose, Deeplet's HDVR / NVR / vehicle HDVR / IPCam series are compliant with NDAA policy which do not use or deploy critical components, nor include SoCs produced by NDAA banned component vendors.

Contact:

Deeplet Technology Corp.

Ms. Panya Kao

11F, No.166,Jian 1st Rd., Zhonghe Dist.

235 New Taipei city

Taiwan

Fon: +886-928-366-382

E-Mail: sales@deeplet.com.tw

2020-01-02

Hall: 2 Booth: 2D53

security essen

Peridect+

PERIDECT+ detects an intruder directly on the boundary of the protected area and gains sufficient time for the security operator for an effective reaction. It brings lower risk and higher prevention of larger damage than intrusion detection inside the protected site. Peridect+ can be installed on all common types of fencing but also on non-standard fencing like metal plates and welded decorative fences.

Contact:

Sieza s.r.o.

Mr. Daniel Ngo

Bustehradská 109

272 03 Kladno

Czech Republic

Fon: +420778701382

E-Mail: daniel.ngo@sieza.com

2022-08-08

Hall: 5 Booth: 5F20

security essen

Access control with BACnet secure connect

Controlling physical access to your building has never been easier or more secure than with the Delta Controls Red5 Access Control system.

Utilizing BACnet Secure Connect (BACnet/SC), all Red5 communications sent over the facility IP infrastructure are encrypted using the industry standard TLS 1.3 cryptographic protocol. This is the same technology that is used for HTTPS to provide secure communication over the internet. BACnet/SC is also used to authenticate devices on the network using a signed certificate which ensures that only authorized devices can communicate over the network. All this ensures that the Red5 network is safe, secure and, because it uses IT standard protocols, will conform to local IT policies.

Communication between the credential reader and the Red5 controller are also secured and encrypted using the OSDP Secure Channel Protocol which utilizes AES-128 encryption.

Red5 is a native BACnet controller that supports all standard BACnet access control object types, to provide a comprehensive open-architecture access control system. Red5 supports all standard access control features as well as an advanced feature set such as two-man rule, mantraps, global anti-passback, multi-factor authentication and real-time event notification. And because Red5 is native BACnet, it seamlessly integrates with the rest of the building automation system.

The Red5 system is both powerful and modular. Each Red5 controller can support from one to 24 doors, up to 100,000 active users and can buffer 10,000 access events.

Managing the access control system, and the rest of the Delta building, is easy using Delta Controls BTL certified enteliWEB workstation. Intuitive and powerful dashboards make managing users, rights and roles simple. For sites with multiple locations or when managing a facility with multiple tenants, the multi-tenant feature allows administrators to delegate administration of specific parts of the building to tenant managers.

2022-08-08

Hall: 5 Booth: 5C22

security essen

Truly intelligent: Eagle Eye Cloud Video-Management-System

Leverage Eagle Eye's open, true cloud platform and artificial intelligence (AI) to dramatically transform your video surveillance system into an even more powerful tool. With video AI, the possibilities are limitless for keeping communities secure and engaged, helping business improve operations and customer service, and enabling manufacturers to build higher quality products in safer environments.

Business intelligence and operational improvements

Using smart data captured by your VMS enables you to gain visibility across your business, react swiftly to opportunities, and improve overall processes and performance.

Be everywhere at once: Small device, infinite visibility

See your entire world, on the go, from any mobile or laptop device. No matter where you are or what time of day it is, you can view live cloud video, search historic video, adjust camera settings, email videos, and more.

Secure by design: Engineered to perfection

Traditional video security systems require substantial amounts of hardware, complicated installations and constant software maintenance and management. Eagle Eye Networks is here to change that with straightforward, enterprise-grade performance that is easy to deploy, remotely manage, and seamlessly integrate with your third party systems.

The Eagle Eye Bridge: Sleek look, small footprint, high performance

Get full featured, cyber secure video recording locally and in the cloud while overcoming network demands of transmitting video through the internet. The Eagle Eye Bridge implements security measures both on premises and in the cloud transmission to ensure video is secure and encrypted with the highest reliability.

[Read more](#)

Contact:

Eagle Eye Networks

Mr. Malte Hollung

Hogehilweg 19

1101 CB Amsterdam

Netherlands

Fon: +49 160 96873827

E-Mail: mhollung@een.com

2022-07-27

Hall: 6 Booth: 6F43

security essen

R8-ZERO Smart door lock (LoRa Technology)

BSI Security presents a wireless solution of access control management, powered by advanced LoRa technology for digital locks.

Contact:

BSI Security Co., Ltd

Ms. Chen Lillian

No. 119, Hexiang 6th St., Beitun Dist.

40663 Taichung City

Taiwan

Fon: +886-4-24376707 #213

E-Mail: lillian@bsi-hardware.com

2022-09-05

Hall: 8 Booth: 8E12

security essen

Pellta One - Counter surveillance for smartphones

Nowadays it is too easy to manipulate smartphones to bugs in order to listen to the audio of the room. Pellta One prevents reliably smartphone audio and video surveillance and is the secure solution for conference rooms or homeoffices.

Active data protection

Inside Pellta One the phone cannot hear or see anything of its surroundings.

Protection against offline-recording

Whether your smartphone is switched on or off, your conversation remains protected.

Compatibility

All common smartphones are protected by Pellta One.

Easy to use?

The device can be easily integrated into the daily work routine in every office.

Connectivity

The phone remains on reception. Incoming messages and calls can still be heard.

Plug and Play

The device works completely independently. No software or apps are required.

More Information:

<https://www.hensec.org/blog/pellta/>

Contact:

hensec.eu

Herr Kevin Heneka

Luisenstr. 56

76689 Karlsdorf-Neuthard

Germany

Fon: +49 72519238750

E-Mail: security@hensec.eu

2022-07-28

Hall: 5 Booth: 5A42

security essen

AMG launch New 19" retractable rack and AMG570 Compact

For the 2034, its short depth and heavy duty slide-out mechanism ensures an easy-to-install solution for AMG and third-party DIN rail equipment in 19-inch racks and cabinets.

The 2034 features a locking line cord to prevent accidental disconnection. Each rack chassis features removable screw terminal connections for up to ten devices depending on product width and occupies only 4U of rack space offering a simple and elegant rack mount solution for space-restricted installations.

The new rack can be ordered without any power supply as a pure mounting system fully integrated single or dual redundant mains or DC input power supplies with both twelve volt DC and 56 volt DC outputs, available to support power over ethernet and non-power over Ethernet equipment.

It is designed and manufactured in the United Kingdom.

AMG570 Compact, one of the smallest fully managed L2+ switches

As for the AMG570 Compact, is one of the smallest switches in the market but still carries many of the same features as the larger eleven port model all within a small package. These thermally efficient units can be DIN rail or wall mounted making installation or maintenance quick and easy.

The switch has four Gigabit Ethernet RJ45 ports along with an additional two multi-rate SFP ports that can support 100 Megabit, one Gigabit and 2.5 Gigabit Ethernet switching for high-speed data uplinks for core or distribution network applications, allowing site wide flexibility in compact spaces.

Featuring the latest ERPS (G8032) and MRP Ring Protection, the Compact also offers complete peace of mind for critical network infrastructure projects. Being designed and manufactured in the UK, AMG maintains full control over the security and reliability of the product.

AMG provide free-of-charge, comprehensive technical support from qualified network engineers.

Contact:

AMG Systems Ltd

Mr. Steve Songhurst

3 The Omega Centre, stratton Busine

SG18 8QB Biggleswade

Great Britain

Fon: +441767600777

E-Mail: steve.songhurst@amgsystems.com

2022-06-22

Hall: 7 Booth: 7F25

security essen

DC UPS systems - reliable protection against power failure

The DC UPS systems from Bicker Elektronik ensure the uninterruptible DC power supply and thus the fail-safe availability of process-relevant systems and components. The UPSI system offers effective protection against power failures, flicker, fluctuations or voltage dips in the DC power supply, thus avoiding costly system shutdowns, downtime and the loss of valuable data.

The compact DIN-Rail version UPSI-D with a robust aluminum housing is equipped with a universal DIN rail mounting system for quick and flexible installation in control cabinets. Also in the DIN rail housing, both particularly durable and safe LiFePO4 battery cells (lithium iron phosphate) and absolutely maintenance-free supercaps (ultracapacitors) are available as separate energy storage devices. Due to the energy storage technologies used, the UPSI system is characterized by low total cost of ownership (TCO) combined with high security and durability.

In addition, open frame variants for direct system integration (UPSI), compact and maintenance-free DC UPS modules for DIN rail mounting (UPSIC), combination solutions with integrated energy storage (UPSI-DP) and outdoor IP67 versions (UPSI -IP) available. In addition to supercaps and LiFePO4 cells, Bicker Elektronik also offers Li-ion and lead batteries for energy storage.

The uninterruptible DC power supply solutions offer optimal protection for a large number of applications and fields of application, such as regulation and control technology, automation / Industry 4.0, motor drives, sensors, camera and security systems, industrial PCs, gateways and much more.

Contact:

Bicker Elektronik GmbH

Herr Rainer Lefert

Ludwig-Auer-Straße 23

86609 Donauwörth

Germany

Fon: +499067059510

Fax: +499067059555

E-Mail: info@bicker.de

2022-08-29

Hall: 6 Booth: 6E23

security essen

Pop Up panic room

The pop-up panic room gets its name from its easy assembly and disassembly. The model is available in two material versions and in three different sizes. The panic room can be used in many ways, such as for personal security, as a safe for valuables or as a gun cabinet. The pop-up panic room can be integrated into existing properties / apartments. The oxygen supply is ensured by two air outlets on the back.

If the product is not in use, it can be stowed dismantled.

Characteristics:

1. Sizes: S 2.23 x 1.17 metre; M 2.23 x 1.53 metre; L 2.23 x 2.26 metre; six milietre thickness
2. Material guide in steel or armored steel ARMOX440
3. Weight: S 1048 kilogramme; M 1182 kilogramme; L 1452 kilogramme
4. Air inlets, sabotage safely installed
5. Locking system secured five times
6. Lock tamper protection
7. Can be dismantled from the inside in an emergency
8. Lighting is installed in the ceiling panel
9. Made in Europe

Contact:

BSSD Defence GmbH

Frau Katrin Piejde

Am Kupfergraben 6

10117 Berlin

Germany

Fon: +493020649396

E-Mail: katrin.piejde@bunker-bssd.de

2020-03-09

Hall: 5 Booth: 5A49

security essen

Stripping tool No.1-Cat

The No.1-Cat is designed for stripping PVC-insulated data and network cables with diameters from 4.5 to ten millimetre (3/16" to 3/8" diameter). It is suitable for Cat5, Cat6, Cat6e, Cat7 and twisted-pair-cables.

The stripping tool has an unique blade layout which lifts the outer insulation carefully and strips the foil shielding.

2022-04-12

Hall: 6 Booth: 6C17

security essen

ScanVein Compact

The ScanVein Compact is designed for high-security biometric access control, with many fields of application, like data centres, office buildings, development labs, power plants and airports, based on Fujitsu PalmSecure technology. With the unique biometric "palm vein" feature, this system offers the user not only maximum security but also the highest level of convenience. The ScanVein Compact can be easily and optimally integrated with the existing security infrastructure through all common hardware interfaces, and ensures maximum system availability thanks to the in-built software and hardware backup systems.

It is available in a version without hand support as well as with hand support for the user interface. Contactless use of the ScanVein Compact is possible, in a way which ensures hygiene and convenience in use.

The integrated optic signalling takes place thanks to controllable LEDs. Because of its slim design and optional installation options (flush-mounted or surface-mounted), it is possible to use it in multiple ways, in industrial and private environments.

A installation flush with the façade is also feasible, in order to incorporate it into visually sophisticated buildings.

Contact:

iCOGNIZE GmbH

Herr Roberto Creutziger

Justus-von-Liebig-Str. 9

63128 Dietzenbach

Germany

Fon: +4960743103600

Fax: +4960743103640

E-Mail: roberto.creutziger@icognize.de

2022-08-01

Hall: 5 Booth: 5F31.1

security essen

Outdoor PoE switch

AETEK outdoor PoE switches are IP67/IK10. They operate in harsh environments between minus 40 degrees and 60 degrees for outdoor IP surveillance application. With all-in-one design, it is embedded with PoE surge protector, AC surge protector, internal power supply and industrial PoE switch, customers save a lot of time and it is cost-effective.

Contact:

AETEK INC.

Ms. Ivy Lee

10F, No.168, Lien-Cheng Rd., Chung-Ho

235 New Taipei City

Taiwan

Fon: +886 2 82452822 #5889

E-Mail: sales@aetektec.com

2019-12-17

Hall: 6 Booth: 6D39

security essen

Sol wireless control panel

The new wireless intrusion control panel by Inim is Sol. Getting the Sol up and running is incredibly quick and easy thanks to a simplified installation procedure.

Integrated QuickGO technology: the InimTech Security App allows quick programming of wireless devices and allows you to get small installations running in record time. The Sol is also connected to the Inim Cloud and offers installers and users full information and easy commands which can be activated by a single touch. It is sufficient to install just one LAN, WiFi or GSM module in order to have access to the full potential of the Inim Cloud - users and installers will see instantly the completeness and ease of use of information and commands accessed through the App and the web pages of Cloud.

Contact:

Inim Electronics S.r.l.

Ms. Baldovino Ruggieri

Via dei Lavoratori 10

63076 Monteprandone (AP)

Italy

Fon: 390735705007

Fax: 390735704912

E-Mail: info@inim.biz

2019-12-18

Hall: 5 Booth: 5G30

security essen

Eco HD analogue monitor

The company presents an Eco HD analogue monitor.

? FULL HD Resolution

? Narrow Bezel Design

? 5MP TVI, 5MP AHD, 4MP CVI Support

? 1xHDMI, 2x BNC IN, 2x BNC OUT,

? TVI/CVI/AHD/CVBS auto recognize

? 24x7 design

? CE, FCC, Rohs, ETL

Contact:

Shenzhen Disida Electron Co., LTD

Mr. Bruce Jia

Seat 5, Zone 2 Fuqiao Industrial Park, Fuyong Town, Baoan District,

518101 Shenzhen,

Peoples Rep. of China

Fon: +8675527516919

Fax: +8675527516919

E-Mail: sale1@disida-lcd.com

2020-01-02

Hall: 2 Booth: 2D53

security essen

Peridect+

PERIDECT+ detects an intruder directly on the boundary of the protected area and gains sufficient time for the security operator for an effective reaction. It brings lower risk and higher prevention of larger damage than intrusion detection inside the protected site. Peridect+ can be installed on all common types of fencing but also on non-standard fencing like metal plates and welded decorative fences.

Contact:

Sieza s.r.o.

Mr. Daniel Ngo

Bustehradská 109

272 03 Kladno

Czech Republic

Fon: +420778701382

E-Mail: daniel.ngo@sieza.com

2020-02-19

Hall: 6 Booth: 6D64

security essen

SPC Intruder Detection

SPC protects businesses, properties, and assets. It is an intrusion detection system that offers versatile and comprehensive alarm management functionality. Through the use of cloud services, end-user apps and a dedicated software suite, SPC is at the forefront of modern intrusion detection.

SPC is a professional security solution that provides an infrastructure that can easily be adapted to changing requirements, offering wired or wireless options.

- | Range of panels to suit customers needs and budget
- | Intuitive web interface layout reducing navigation effort
- | Scalable up to 2,500 users, 512 zones
- | Built in door control – up to 2,500 users and 64 doors
- | One of the most approved panels in Europe

SPC provides a simple and quick installation for small systems and also has the power and features to allow you to deliver on complex installations.

Contact:

Vanderbilt International Ltd

Herr Andreas Straubinger

Am Sandfeld 9

76149 Karlsruhe

Germany

Fon: 49 721 9588138

E-Mail: samlord@vanderbiltindustries.com

2022-08-25

Hall: 7 Booth: 7F36

security essen

Firefender - digital monitor of fire extinguishers

Cosesy presents a sensor for monitoring wall-mounted fire extinguisher. It notifies monitoring central or BMS on low pressure, obstacles, use, tamper, theft, removal of parts and changes in environmental conditions such as temperature and light.

For just-in-time-service, more safety and less cost.

Patent pending.

Contact:

Cosesy A/S

Mr. Rene Juul Winther

Viengevej 100

8240 Risskov

Denmark

Fon: +4561601211

E-Mail: rjw@cosesy.com

2022-07-27

Hall: 5 Booth: 5B15

security essen

Procell Alkaline Constant Power 9v

Procell Alkaline Constant Power 9V industrial batteries are ideal for powering low drain professional devices which require constant current over a long period of time such as smoke/carbon monoxide detectors.

Also available in AA, AAA, C and D sizes.

Contact:

Procell by Duracell Germany GmbH

Herr Dan Bullen

Am Kronberger Hang 8

65824 Schwalbach am Taunus

Germany

Fon: +447729606818

E-Mail: bullen.d@duracell.com

2022-08-31

Hall: 6 Booth: 6B28

security essen

MySafe: The smart way to administer your safes

If you think your safes are just simple metal cabinets: you're wrong. If you think that safes cannot be integrated into smart infrastructures: you are wrong. MySafe transformed safes into smart safes of the present – with all modern benefits of today's possibilities. Suitable for new safe cabinets or existing ones to retrofit. Control and manage safes and their operators. No matter where you are with the MySafe app.

More information: www.mysafe.world

Contact:

METALSAFE s.r.o.

Herr Petr Lakomy

Jana Svermy 1339

46851 Smrzovka

Czech Republic

Fon: +00420 483 381622

E-Mail: lakomy@metalsafe.cz

2022-06-22

Hall: 5 Booth: 5B19

security essen

Control your IP network with the new Smart-barox MOBOTIX HUB plug-in

barox, the global manufacturer of professional standard switches, PoE media converters and IP extenders, has released a new plug-in that greatly extends user control for the MOBOTIX HUB VMS.

Underlining barox's ethos of offering network solutions tailored to the needs of the modern video security market, the new DMS SNMP plug-in extends MOBOTIX HUB usability. By enabling easy integration to the barox Ethernet switch range, deep control and management of the MOBOTIX HUB provides users and installers with a very helpful video network tool, delivering minimal device set-up time and labour costs for the configuration and operation of any video network.

In addition, the barox MOBOTIX HUB plug-in allows seamless VMS access to special switch functionality, allowing installers and operators to better manage their security network and connected devices. Available at your fingertips, Smart-barox provides a live graphical overview of network topology with a host of invaluable network information. With Smart-barox, VMS system diagnostic data shows the status of cameras and switches, allowing the fast pinpointing of network and device issues.

"barox designs all of its products to address the specialist requirements of video surveillance networks," says Rudolf Rohr, barox Co-founder & Managing partner. "Smart-barox continues that tradition by supplying a MOBOTIX DMS SNMP plug-in that allows installers to reduce their equipment replacement costs and keep network downtime to a minimum, saving costs by minimising network set-up time and avoidable journeys to site. As a company, barox designs products to address the specialist requirements that are essential to the efficient operation of IP video surveillance networks. Sharing more than two decades of innovation, together, as an all-European brand solution, barox and MOBOTIX are proud to deliver the benefits of simple device integration, product quality and performance, all backed with local customer support."

Contact:

barox Kommunikation GmbH

Frau Marie-Christine Möller

Weiler Strasse 7

79540 Lörrach

Germany

Fon: 0041-56-2104520

Fax: +4976215500289

E-Mail: mail@barox.de

2022-08-29

Hall: 7 Booth: 7A31

security essen

SmartVES - a new PAVA system utilizing innovative technologies that improve the intelligibility of broadcast voice messages in buildings with difficult acoustic conditions.

SmartVES is a new PAVA system utilizing innovative technologies that improve the intelligibility of broadcast voice messages in buildings with difficult acoustic conditions. In addition to the typical components for powering, battery charging, routing, amplification and transmission of messages to individual public address zones, the system is equipped with an all-new smart DU-1604 central unit, responsible for monitoring acoustic conditions in the building and modifying the broadcast voice signal both in timing and frequency in order to obtain the maximum possible intelligibility of the transmitted messages.

The modifications to the audio signal are performed by powerful digital signal processing in a real-time mode utilizing continuous acoustic feedback into the processors to apply adaptive filtering. This feedback to the processors of the live audio performance in the audio zone is realised through specially designed SMART-ANSM-01 measuring microphones installed in the listening area. The collected signals are transmitted via the SMART-AMAP-6 microphone aggregation point to the smart DU-1604 central units. Each hub can collect measurement signals from up to six smart-ANSM-01 microphones and transmit them to the smart DU-1604 via the LAN network.

Contact:

Ambient System Sp. zo.o.

Ms. Katarzyna Lenczewska

Bysewska 27

80-298 Gdansk

Poland

Fon: +485833455195

Fax: +48583431877

E-Mail: n.krzych@ambientsystem.pl

2022-09-16

Hall: 5 Booth: 5B10

security essen

Traka's new Traka Touch Pro range: intelligent key cabinets

Traka, part of the ASSA ABLOY Group, is pleased to announce the release of its latest intelligent key cabinets, **Traka Touch Pro**. Comprising of four products, differing in sizes to suit customer needs, the Traka Touch Pro range builds upon the strong foundations of its predecessor, Traka Touch, with enhancements.

Built to last

- | New mechanical design elements further enhance the security, durability and life of the product
- | Adjustable Traka door hinges are tested to over one million cycles and are recessed to reduce vulnerability from attack

Built for simplicity

- | Improved ease of use and installation
- | Uniform look and feel across the range facilitates easy identification and improved space planning

Built for flexibility

- | Greater storage capacity ensures larger key sets can be accommodated across all systems
- | A sleek, modern and modular design blends with most environments; easier to install, service, and decommission, thus minimizing disruption and maximizing time in service

Built with sustainability in mind

- | Uses sustainable, 100 per cent recyclable materials and manufacturing techniques to reduce the environmental impact and carbon footprint
- | Readily disposable and environmentally-friendly packaging reduces transportation weight, costs, and fuel usage and is easier to reuse and recycle

Contact:

Traka

Frau Giovanna Eremita

30 Stilebrook Road, Olney

MK46 5EA Bucks

Great Britain

Fon: +447908022580

Fax: +441234713366

E-Mail: Giovanna.Eremita@Traka.com

2022-04-28

Hall: 7 Booth: 7B20

security essen

The radio measuring device CM0630

The radio measuring device CM0630 is used by the installer for pre-analysis of the object to be projected and as a useful tool for error analysis of already existing installations. In addition, with the help of this device is a one-man installation of the radio system possible. Beside to estimating radio interference, it can be checked whether the planned radio user is within the communication range to the radio gateway CM0220. Furthermore, radio participants can be taught-in or deleted from the radio gateway with the CM0630 device.

The radio measuring device CM0630 can be used for one-man planning, installation and troubleshooting. It has a radio range measurement in per cent with a minimum signal strength display. The radio detector can be taught-in or deleted and has a message control which can display information's of the radio participants. Furthermore, the radio detector can learn new detectors by the help of an update function. The multi-language capability ensures a flexible use.

Contact:

CM Security GmbH

Frau Ursula Mollenkopf

Otto-Hahn-Str. 3

72406 Bisingen

Germany

Fon: +49747694950

Fax: +4974769495195

E-Mail: ursula.mollenkopf@cm-security.com

2022-06-07

Hall: 6 Booth: 6B19

security essen

Electronic fitting - individualized design and intuitive operation

The new electronic fitting from WILKA enables convenient access to areas that require a higher level of security. Thanks to its flexible integration into the various WILKA software platforms easyAccess, easyApp, easyBasic and easyHotel, the electronic fitting offers a high level of protection for offices and hotel rooms as well as for exterior doors in private and commercial areas.

The fitting can also be operated intuitively and easily by any user. The high degree of individualisation of the design, such as the application of one's own logo, the selection of different handle variants and the shape of the fitting enables integration into existing design concepts.

Contact:

WILKA Schließtechnik GmbH

Frau Sina Luckhardt

Mettmanner Str. 58-64

42549 Velbert

Germany

Fon: +49205120810

Fax: +4920512081151

E-Mail: sina.luckhardt@wilka.de

2022-06-04

Hall: 8 Booth: 8C11

security essen

InkSys-ATM - protection of ATM cassettes

The ink protection system InkSys-ATM from Petersen-Bach is adapted to fit into the lid of standard ATM cassettes. Operation of ATM cassettes with InkSys-ATM is simple, in an intelligent and safe way - both while being deposited in the ATM and when inside it.

The system is compatible with a range of extra security features. InkSys-ATM has no or very little effect on bank note capacity.

Contact:

Petersen-Bach A/S

Mr. Anders Levinsen

Engholm Parkvej 6

3450 Allerød

Denmark

Fon: +4570154600

Fax: +4551648210

E-Mail: ale@petersen-bach.com

2022-08-01

Hall: 6 Booth: 6F30

security essen

HSGW Home security gateway series

An powerful IP-based multi-functional RF, ZigBee, and Z-Wave smart home security gateway with optional add-on of 3G/LTE capabilities, providing comprehensive solutions, including remote management, home security, live visual monitoring, home automation, energy management and emergency monitoring, designed to bring all-around convenience, comfort and safety.

Contact:

Climax Technology Co., Ltd.

Ms. Doris Lin

No. 258, Hsin Hu 2nd Rd., Neihu Dist.

11494 Taipei City

Taiwan

Fon: (886) 2-2794-0001 Ext. 275

E-Mail: doris@climax.com.tw

2022-09-16

Hall: 6 Booth: 6B13

security essen

Lift and slide doors in wood and wood-aluminium - certified RC4 and FB4

The security requirements of the customers are constantly evolving. That is why RvE also adapts its product range accordingly. A special feature from the company is the new lift-and-slide door, optionally made of wood or wood-aluminium. In addition to burglary resistance of class RC4, this also offers bullet resistance of level FB4 - of course independently tested and certified according to DIN EN 1627 and DIN EN 1522/1523 .

Viewed from the outside, there is no difference to elements with a lower security level, which is also due to the great freedom of design that the manufacturer offer its customers. The company plans down to the smallest detail in order to adapt the elements as best as possible to the wishes and requirements of the customer and the object.

Windows and doors from RvE - invisibly safe, markedly beautiful.

Contact:

RvE Fenster + Türen Manufaktur GmbH & Co. KG

Herr Balthasar Dieckmann

Im Südfeld 42

48308 Senden

Germany

Fon: +49253634674220

Fax: +49253634674100

E-Mail: dieckmann@rve-manufaktur.de

2020-02-19

Hall: 6 Booth: 6D64

security essen

SPC Intruder Detection

SPC protects businesses, properties, and assets. It is an intrusion detection system that offers versatile and comprehensive alarm management functionality. Through the use of cloud services, end-user apps and a dedicated software suite, SPC is at the forefront of modern intrusion detection.

SPC is a professional security solution that provides an infrastructure that can easily be adapted to changing requirements, offering wired or wireless options.

- | Range of panels to suit customers needs and budget
- | Intuitive web interface layout reducing navigation effort
- | Scalable up to 2,500 users, 512 zones
- | Built in door control – up to 2,500 users and 64 doors
- | One of the most approved panels in Europe

SPC provides a simple and quick installation for small systems and also has the power and features to allow you to deliver on complex installations.

Contact:

Vanderbilt International Ltd

Herr Andreas Straubinger

Am Sandfeld 9

76149 Karlsruhe

Germany

Fon: 49 721 9588138

E-Mail: samlord@vanderbiltindustries.com
